



**ZEAL INTERNATIONAL** (An ISO 9001 Certified Company)

**Head Office:** 1, Netaji Subhash Marg Daryaganj, New Delhi - 110002 INDIA

Phone: +91-11-23276114, 23244474, 23250281, 23278846 Fax: +91-11-43580558

**Branch Office:** 4/20 Kirti Nagar Industrial Area New Delhi - 110015 Phone: +91 11 45380800

**Warehouse:** 4/26 Kirti Nagar Industrial Area New Delhi – 110015

info@zealinternational.com

sales@zealinternational.com

support@zealinternational.com

quotation@zealinternational.com

Visit us at: www.zealinternational.com

## Laboratory Oven ZI 9013

Standards:

Specification:

### Specification:

Oven are designed, calibrated & tested to suitable various applications in growing fields.

### Construction:

Double walled constructed with inside Aluminium / Stainless Steel chamber having 60-75 mm glass wool insulation. Door is Fitted with heavy chrome plated hinges. Provided with adjustable Steel / Aluminium / Wire mesh trays. Temperature is recorded by means of L shapedn thermometer fitted at the front of the cabinet. Temperature controlled by hydraulic capillary thermostats.

### Heating:

Heating elements are made up of high grade (Kanthal) resistance wire heaters are fitted/wound along all the sides of the oven.

Complete with two pilot lamps, plug pins.



Temperature Gauge:- Ambient To 250° ±1° C

1. Air circulation can be fitted in all the sizes mentioned above for proper air circulation at an extra cost.
2. Digital temperature indicator cum controlled can be fitted for better accuracy results.
3. Alarm system can be fitted at an extra cost.
4. For higher temperature i.e. 200° C always

buy stainless steel chambers.

5. High temperature ovens/driers can be manufactured up to 350° C

Sizes: Available In Single Phase 230 V A.C., Three Phase 440 V A.C. Model With Available Industrial Heaters & Industrial Driers.

3' x 2' x 2'    3' x 3' x 3'  
4' x 2' x 2'    4' x 3' x 3'  
5' x 2' x 2'    5' x 3' x 3'  
5' x 4' x 4'    5' x 4' x 3'

Available size	No. of Trays	Rating
12" x 12" x 12" (300 x 300 x 300mm)	2	1.5kW
14" x 14" x 14" (350 x 350 x 350mm)	2	1.5kW
18" x 18" x 18" (450 x 450 x 450mm)	2	1.5kW
18" x 18" x 24" (450 x 450 x 605mm)	2	2.0kW
14" x 24" x 24" (605 x 605 x 605mm)	3	2.5kW
24" x 24" x 36" (605 x 605 x 900mm)	3	2.5kW
24" x 18" x 36" (605 x 450 x 900)	3	2.5kW